

Entrance Doors

RD67 | RD80 | RD100

ww.ryternaentry.com







Table of **Contents**

About us Door type RD67	6	Door type RD80 Door type RD100	32
Door sealing	8	Magnetic threshold	37
Hinges	8	Hinges	37
Threshold	8	Concealed hinges	37
Dimensions	8	Door leaf glazing	38
Door leaf glazing	10	Standard RAL colours	39
Standard RAL colours	11	Wood images	39
Wood images	11	Side & top elements	40
Side & top elements	12	"Etched" effect glazing	41
"Etched" effect glazing	13	Glazing options	43
Glazing options	15	Brushed stainless metal handles	44
Brushed stainless metal handles	16	Lever and knob handles	45
Lever and knob handles	17	Escutcheons	46
Escutcheons	18	Lock cylinders	46
Lock cylinders	18	Finger scanners	47
Finger scanners	19	Keypads	48
Keypads	20	Locks	49
Locks	21	Inspiration	50
Inspiration	22	Standard designs	94
Standard designs	22	Exclusive designs	98
		Classic designs	99
		Door configurator	100
		Matching design	102

www.ryternaentry.com RYTERNA ENTRY ENTRANCE DOORS | 3



About us

Your front door is a key element of your house facade. Every day you see, touch and use it. Consequently, your door should complement the facade, be safe and secure whilst providing the very best insulation from the elements. High tech. finishes and the very best accessories should ensure maintenance free use.

"Ryterna" offers a wide range of made-to-measure front doors in numerous design choices including the possibility to create your individual / bespoke design. The latest technologies combined with the perfect design features ensure an outstanding appearance and performance.

"Ryterna Entry" is a part of the "Ryterna Group" who have been manufacturing doors since 1993. With authorised dealers all over Europe and our own transport fleet we can provide the shortest possible lead times. "Ryterna" entrance doors are manufactured in a new efficient factory located in Kaunas, Lithuania. Sustainability in manufacture combined with the thermal performance of our products is central to our growth philosophy. We constantly seek for morally responsible and environmentally cleaner ways to improve in all areas of business.







www.ryternaentry.doorconfigurator.com







Door type RD67

RD67 frame is made of composite aluminium profiles with 24 mm thick thermal break. Leaf is 67 mm thick with double steel skin filled with freon free PU foam.

All windows and sidelights are triple glazed with safety glass. You can choose clear, obscure, opaque or tinted glazing options. Etched effect custom glazing available on request.



0.94 W/m²K*

U value



RC 2 FN 12519



Thermal transmittance Safety resistance class Wind resistance class FN 12207:199-11




4A

Rain resistance class EN 12208:199-11



34.5 Db

Sound reduction







As standard:



3 point lock **L3P**



Lock cylinder CWA



Escutcheon ESC3



Inside handle **HL-W**




External handle **H45R-500** or **H45S-500**






Door leaf **Structure**



- 1 Polyurethane foam
- 2 Cold rolled steel
- 3 Hot dip galvanisation
- 4 Chemical treatment
- 5 Powder coated

Door Sealing



Triple rubber sealing contour provides perfect insulation. D-shape silicone rubber is not ageing or shrinking therefore door insulation does not change during a lifetime.

Threshold



Heavy-duty durable aluminium and PVC composite threshold profile perfectly seals bottom of the door protecting your home from drafts, moisture, dust and insects.

Hinges




Hinges are strong enough to support doors weighing up to 120 kg weight. Allow door to open up 180°. Hinge diameter 18 mm.

Adjustible in three directions:

- Vertically +/- 3 mm;
- Horizontally +/- 3 mm;
- Sealing pressure +/- 1.0 mm.

Dimensions




Threshold height is 12 mm on the inside and 22.5 mm on the outside.





Door leaf glazing





Standard RAL colours

RAL 1013 Structure

RAL 7035 Structure



RAL 9016 Structure



RAL 3000 Structure

RAL 7038

TG 29/60731

Structure



RAL 8017 Structure



TG 29/90147



RAL 7016 Structure



RAL 9006 Structure



TG 68/80043



RAL 7032 Structure



RAL 9007 Structure



DB 703

Wood images



Golden Oak



Old Oak



Winchester Oak





*Please note that colours depicted for guidance only. Please use official printed materials for colour accuracy.





"Etched" effect glazing








Glazing options

STANDARD

Clear **SGC**

NON-STANDARD



Similar to Delta Nr. 121




Similar to Silvit Nr. 118






Chinchilla






KathedRAL Klein




Tinted **SGT** Brown | Grey

4mm Float + 4mm Float + 4mm Float



P4A + 4mm Float + P4A







www.ryternaentry.com



Escutcheons





ESC-1

ESC-2

You can choose from two stainless steel escutcheons.

Lock cylinders





CWA

CWA+TT

WILKA lock cylinders are famous for their security and reliability. You can chose one of three safety classes: A, B or C the highest.

WILKA cylinder comes with 5 keys.

Additional keys are available on request.



Finger scanners



FSC2 - can be instaled on to door leaf. The finger scanner is mounted in the wall using stainless-steel accessories (in-wall set).

The finger scanner will only operate when connected to an ekey control panel.

Both finger scanners can be controlled by app. So you can open the door with your smart-phone and enjoy all the benefits of operation via app.



FSC3 - Secure and easy to operate Sommer finger scanners Increase key free security and convenience.

Each user can enter three separate fingerprints to control your entrance door, garage door and gates. One simple swipe opens or closes your devices as desired.



FSC4 - SIEGENIA fingerprint scanner with SI-BUS technology. Direct installation without separate control unit. With WIFI and Bluetooth chip as standard. Administration of up to 200 users or 800 features. Control via the SIEGENIA Comfort app is possible.

All finger scanners are compatible with: L3P+D&N+EM, L5PMA or L5PA locks.



www.ryternaentry.com RYTERNA ENTRY ENTRANCE DOORS | 19



Keypads



KP1 - The keypad for mounting on the wall. 3 different codes can operate 2 different relays.





KP2/KP3 - ekey Integra keypads are secure and easy to operate. Up to 99 individual users.

The Keypad can be installed on door leaf or on the wall.



KP4 - SIEGENIA keypad with SIBUS technology. Direct installation without separate control unit. With WIFI and Bluetooth chip as standard. Administration of up to 200 users or 800 features. Control via the SIEGENIA Comfort app is possible.



KP5 - ENTRAcode+ access is secured by means of a numeric code. The code consists of 4 to 8 digits, as desired, and can be set individually.

All keypads are compatible with: L3P+D&N+EM, L5PMA or L5PA locks.

Locks

KFV locks are made from high-quality materials with precise workmanship. Hi-tech mechanics ensure reliable, precise and easy operation. Lots of options starting from the simplest 3 point lock up to sophisticated 5 point lock.



L3P - 3 points multiple lock. Main lock deadbolt and hook bolts operated by the key.

L5P - 5 points multiple lock. Two round latch bolts lock the leaf on closure automatically and opens by the key. Deadbolt and hook bolts operated by the key.

L3P+D&N - day & night. 3 point multi-point lock with option to temporary disable self-locking. Main deadbolt and hook bolts operated by the key.


L3P+D&N+EM electric - 3 points multi-point lock with electric latch and option to temporary disable self-locking. Main lock deadbolt and hook bolts operated by the key.

L5PMA electric - L5PMA electric - 5 points multi-point lock. Round latch and hook bolts lock the leaf on closure automatically. Deadbolt operated by the key only. If deadbolt is engaged automatic unlocking is disabled. All latches open by electric drive when turning the key or pressing lever handle. Lock can be connected to finger-scanner or keypad (optional). Not compatible with lever handle from outside, pull handle only.

L5PM without electric motor - 5 point multi-point lock. Round latch and hook bolts lock the leaf on closure automatically. Deadbolt operated by the key only. Not compatible with lever handle from outside, pull handle only.

L5PA electric - 5 point multi-point lock with all latches and deadbolt operated by electric drive. Locks automatically when closing the door. All latches and deadbolt open by electric drive when turning the key or pressing lever handle. Not compatible with lever handle from outside, pull handle only. Lock can be connected to finger-scanner and keypad (optional). Electromagnetic strike included. Not available when oveR-AL I frame height is less than 2035mm.

L5P + panic function electric - 5 points multi-point lock with all latches and dead-bolt operated by electric drive. Locks automatically when closing the door. All latches and deadbolt open by electric drive when turning the key or pressing lever handle. Not compatible with lever handle from outside, pull handle only. Lock can be connected to finger-scanner and keypad (optional).







Design 103

Door type **RD67**Outside colour **RAL 7011**Handle **H45R-500**Escutcheon **ESC-2**Applique **Brushed aluminium appliqué**



Design 104

Door type **RD67**Outside colour **RAL 7021**Handle **H45S-800**Escutcheon **ESC-2**Applique **Brushed aluminium appliqué**



Design 108

Door type **RD67**Outside colour **RAL 7000**Handle **H90R-1200**Escutcheon **ESC-2**Applique **Brushed aluminium appliqué**









Design 110

Door type RD67 Outside colour RAL 6020 Handle **H45R-500** Escutcheon ESC-2 Glazing Matt SGM Applique Brushed aluminium appliqué



Design 112

Door type RD67 Outside colour RAL 8003 Handle **H45R-500** Escutcheon ESC-2 Glazing Matt SGM Applique Brushed aluminium appliqué



Design 113

Door type RD67 Outside colour RAL 5008 Handle **H45R-500** Escutcheon ESC-2 Glazing Matt SGM Applique Brushed aluminium appliqué





Design 116

Door type **RD67**Outside colour **RAL 6012**Handle **H90S-500**Escutcheon **ESC-2**Glazing **Matt SGM**Applique **Brushed aluminium appliqué**



Design 117

Door type RD67
Outside colour RAL 7015
Handle H90S-500
Escutcheon ESC-2
Glazing Matt SGM
Applique Brushed aluminium appliqué
Accessories Spyhole



Design 118

Door type **RD67**Outside colour **RAL 6020**Handle **H90S-500**Escutcheon **ESC-2**Glazing **Matt SGM**Applique **Brushed aluminium appliqué**









Design 115

Door type RD67 Outside colour RAL 9016 Handle H45R-800 Escutcheon ESC-2 Glazing Matt SGM Applique Brushed aluminium appliqué



Design 121

Door type RD67 Outside colour RAL 7040 Handle **H45R-800** Escutcheon ESC-2 Glazing Matt SGM Applique Brushed aluminium appliqué




Design 123

Door type RD67 Outside colour RAL 7016 Handle **H90S-500** Escutcheon ESC-2 Glazing Matt SGM Applique Brushed aluminium appliqué



Standard designs



RYTERNA ENTRY ENTRANCE DOORS www.ryternaentry.com

Individual Design





Door type RD80

The door frame is constructed from aluminium profiles including a thermal break to reduce thermal transference from the outer to inner skin. The door leaf is made from 2.5mm (outer) and 1.5mm (inner) aluminium sheets (some designs may differ).

The doors inner core, assembly profiles and frames are filled with a strong environmentally friendly freon free PU foam.

Triple all round perimeter rubber weather sealing completes a combination that gives Ryterna entrance doors the following performance values:



0.69 W/m²K



RC 3*



U value

Thermal transmittance Safety resistance class Wind resistance class FN 12519

FN 12207:199-11




Rain resistance class









As standard:



3 point lock **L3P**



Lock cylinder CWA



Escutcheon ESC3



Inside handle **HL-W** or **HLS10** or **HLS11**



External handle **H45R-500** or **H45S-500** or **H90R-500** or **H90S-500**





Door type RD100

A high quality durable magnetic 'pop-up' threshold is supplied with all RD80 & RD100 doors. Opening into the building and out are available.

All door leaf windows are triple glazed with safety glass. Many decorative glass options are available including bespoke / custom engraving. Individual design elements can be added to complete your bespoke / custom doors.

All doors are made to order up to 1250mm wide & 2300mm high. For larger sizes consult manufacturer for feasibility.



0.65 W/m²K



RC 3*



THE PARTY NAMED IN COLUMN TWO IS NOT THE PARTY N

Thermal transmittance Safety resistance class Wind resistance class FN 12519 U value





6A


Rain resistance class EN 12208:199-11



32 Db

Sound reduction





As standard:



3 point lock **L3P**



Lock cylinder CWA



Escutcheon ESC3



Inside handle **HL-W** or **HLS10** or **HLS11**



External handle H45R-500 or H45S-500 or **H90R-500** or **H90S-500**





Types of **frames**






RYTERNA ENTRY ENTRANCE DOORS



Door leaf



Hinges




Depending on the design of the profile sections, the 3-piece hinges are able to support doors weighing up to 120 kg. These two series are fastened with the aid of self-drilling screws in the reinforcement of the frame profile with long pins to distribute the forces, acting on the hinge. It also leaves the seal untouched, thus ensuring maintenance of the maximum insulation values. It can be adjusted very conveniently and with little effort in three directions.

Flush leaf with aluminium sheet skin.

Three contour sealing ensures perfect insulation.

Door has three seal contours: one on the frame and two on the leaf.

Magnetic thresold



The 'pop-up' magnetic strip is a high quality durable and maintenance free threshold system that significantly improves insulation and draughts. Two further rubbers ensure the best posable performance.

As the door closes a magnetic strip rises to create a perfect seal between the threshold and door.

As the door opens the strip gently drops back into its groove reducing the step.

Our magnetic threshold has been designed to reduce the obstacles met by wheelchairs, prams and other wheeled vehicles.

Concealed hinges






The Wala WU hidden hinge is a certified product with a capacity of 150 kg. It guarantees quick and easy assembly. Wala WU hinge provides smooth adjustments in three directions.

Concealed hinges are available with inside opening RD100 doors only.

RYTERNA ENTRY ENTRANCE DOORS | 37



Door leaf glazing



RYTERNA ENTRY ENTRANCE DOORS www.ryternaentry.com



Standard RAL colours



RAL 1013 Gloss 20% / structure



RAL 3000 Gloss 20% / structure



RAL 6005 Gloss 20% / structure



RAL 7016 Gloss 20% / structure



RAL 7032 Gloss 20% / structure



Wood images

Golden Oak



Old Oak



RAL 7035 Gloss 20% / structure



RAL 7038 Gloss 20% / structure



RAL 8017 Gloss 20% / structure



RAL 9006 Gloss 20% / structure



RAL 9007 Gloss 20% / structure



Winchester Oak



RAL 9016 Gloss 20% / structure



TG 29/60731



TG 29/90147



TG 68/80043



DB 703

Other RAL Colours



Structure painting available upon request

*Please note that colours depicted for guidance only. Please use official printed materials for colour accuracy.





"Etched" effect glazing



www.ryternaentry.com RYTERNA ENTRY ENTRANCE DOORS | 41





Glazing options

STANDARD

Clear **SGC**

NON-STANDARD





Similar to Silvit Nr. 118





Chinchilla




Patterned **SGP**






Brown | Grey

4mm Float + 4mm Float + 4mm Float



P4A + 4mm Float + P4A



Brushed stainless metal handles





HS Height available: 1000 mm

H90WD

Old Oak

Heights available:

800 mm 1200 mm Colours available: Gold Oak



Size available: (500x130 mm)



IH-ALU Sizes available:

500 mm 1400 mm 800 mm 1600 mm 1200 mm 1800 mm





Escutcheons



ESC-1



ESC-2



ESC-3



ESC-4



ESC-5 (Drill proof)

You can choose from five stainless steel escutcheons.

Partial opening lock



POLAvailable in silver or white.

Lock cylinders



CWA



CWA+TT

WILKA lock cylinders are famous for their security and reliability. You can chose one of three safety classes: A, B or C the highest.

WILKA cylinder comes with 5 keys. Additional keys are available on request.





FSC1 - can be inlaid into door leaf or handle. Thanks to its compact design Arte finger scanner can be integrated discreetly into unusual door designs and fittings.



FSC2 - can be installed on to door leaf. The finger scanner is mounted in the wall using stainless-steel accessories (in-wall set).

The finger scanner will only operate when connected to an ekey control panel.

Both finger scanners can be controlled by app. So you can open the door with your smart-phone and enjoy all the benefits of operation via app.



FSC3 - Secure and easy to operate Sommer finger scanners Increase key free security and convenience.

Each user can enter three separate fingerprints to control your entrance door, garage door and gates. One simple swipe opens or closes your devices as desired.



FSC4 - SIEGENIA fingerprint scanner with SI-BUS technology. Direct installation without separate control unit. With WIFI and Bluetooth chip as standard. Administration of up to 200 users or 800 features. Control via the SIEGENIA Comfort app is possible.

All finger scanners are compatible with: L3P+D&N+EM, L5PMA or L5PA locks.

Finger scanners



www.ryternaentry.com RYTERNA ENTRY ENTRANCE DOORS | 47



Keypads



KP1 - The keypad for mounting on the wall. 3 different codes can operate 2 different relays.





KP2/KP3 - ekey Integra keypads are secure and easy to operate. Up to 99 individual users.

The Keypad can be installed on door leaf or on the wall.



KP4 - SIEGENIA keypad with SI-BUS technology. Direct installation without separate control unit. With WIFI and Bluetooth chip as standard. Administration of up to 200 users or 800 features. Control via the SIEGENIA Comfort app is possible.



KP5 - ENTRAcode+ access is secured by means of a numeric code. The code consists of 4 to 8 digits, as desired, and can be set individually.

All keypads are compatible with: L3P+D&N+EM, L5PMA or L5PA locks.

Locks

KFV locks are made from high-quality materials with precise workmanship. Hi-tech mechanics ensure reliable, precise and easy operation. Lots of options starting from the simplest 3 point lock up to sophisticated 5 point lock.



L3P - 3 points multiple lock. Main lock deadbolt and hook bolts operated by the key.

L5P - 5 points multiple lock. Two round latch bolts lock the leaf on closure automatically and opens by the key. Deadbolt and hook bolts operated by the key.

L3P+D&N - day & night. 3 point multi-point lock with option to temporary disable self-locking. Main deadbolt and hook bolts operated by the key.


L3P+D&N+EM electric - 3 points multi-point lock with electric latch and option to temporary disable self-locking. Main lock deadbolt and hook bolts operated by the key.

L5PMA electric - L5PMA electric - 5 points multi-point lock. Round latch and hook bolts lock the leaf on closure automatically. Deadbolt operated by the key only. If deadbolt is engaged automatic unlocking is disabled. All latches open by electric drive when turning the key or pressing lever handle. Lock can be connected to finger-scanner or keypad (optional). Not compatible with lever handle from outside, pull handle only.

L5PM without electric motor - 5 point multi-point lock. Round latch and hook bolts lock the leaf on closure automatically. Deadbolt operated by the key only. Not compatible with lever handle from outside, pull handle only.

L5PA electric - 5 point multi-point lock with all latches and deadbolt operated by electric drive. Locks automatically when closing the door. All latches and deadbolt open by electric drive when turning the key or pressing lever handle. Not compatible with lever handle from outside, pull handle only. Lock can be connected to finger-scanner and keypad (optional). Electromagnetic strike included. Not available when oveR-AL I frame height is less than 2035mm.

L5P + panic function electric - 5 points multi-point lock with all latches and dead-bolt operated by electric drive. Locks automatically when closing the door. All latches and deadbolt open by electric drive when turning the key or pressing lever handle. Not compatible with lever handle from outside, pull handle only. Lock can be connected to finger-scanner and keypad (optional).



www.ryternaentry.com RYTERNA ENTRY ENTRANCE DOORS | 49





Door type **RD80**Outside colour **RAL 6033**Handle **H90R-1400**Escutcheon **ESC-3**Applique **Inlaid stainless metal**



Design 206

Door type **RD80**Outside colour **RAL 7039**Handle **H90R-1400**Escutcheon **ESC-3**Applique **Inlaid stainless metal**



Design 207

Door type **RD100**Outside colour **RAL 6020**Handle **H45R-500**Escutcheon **ESC-3**Applique **Inlaid stainless metal**Kick plate **Smooth**

RYTERNA ENTRY ENTRANCE DOORS www.ryternaentry.com









Door type RD80 Outside colour RAL 5001 Handle **H90R-1400** Escutcheon ESC-3 Decor Carving Applique Inlaid stainless metal



Design 310

Door type RD80 Outside colour RAL 7043 Handle **H45R-500** Escutcheon ESC-3 Decor Carving Applique Inlaid stainless metal



Design 313

Door type RD100 Outside colour RAL 1005 Handle **H90R-1400** Escutcheon ESC-3 Decor Carving Applique Inlaid stainless metal





Door type RD80
Outside colour RAL 7043
Handle H90R-1200
Escutcheon ESC-2
Glazing Patterned SGP



Design 506

Door type RD100
Outside colour RAL 6033
Handle H90R-800
Escutcheon ESC-2
Glazing Tinted Grey SGT-G



Design 512

Door type RD100
Outside colour RAL 3003
Handle H90R-500
Escutcheon ESC-3
Glazing Patterned SGP









Door type RD80
Outside colour RAL 7043 + RAL 5008
Handle H90S-1400
Escutcheon ESC-3
Glazing Matt SGM
Decor Carving



Design 520

Door type RD80
Outside colour RAL 6020
Handle HRB-800
Escutcheon ESC-3
Glazing Matt SGM
Accessories Letter plate



Design 521

Door type RD80
Outside colour RAL 7043
Handle H45R-1400
Escutcheon ESC-3
Glazing Patterned SGP





Door type **RD100**Outside colour **RAL 6012**Handle **H45S-1400**Escutcheon **ESC-3**Glazing **Matt SGM**Applique **Inlaid stainless metal**



Design 607

Door type RD100
Outside colour RAL 4007
Handle H45R-1400
Escutcheon ESC-3
Glazing Matt SGM
Applique Inlaid stainless metal
Finger scanner FSC3



Design 609

Door type RD100
Outside colour RAL 7039
Handle H45R-500
Escutcheon ESC-3
Glazing Matt SGM
Applique Inlaid stainless metal









Door type RD100
Outside colour RAL 7043 + RAL 7034
Handle H90R-1600
Escutcheon ESC-3
Glazing Matt SGM
Applique Inlaid stainless metal



Design 611

Door type **RD80**Outside colour **RAL 4007**Handle **H90S-1800**Escutcheon **ESC-3**Glazing **Matt SGM**Applique **Inlaid stainless metal**



Design 612

Door type RD80
Outside colour RAL 5008
Handle H90R-1600
Escutcheon ESC-3
Glazing Patterned SGP
Applique Inlaid stainless metal





Door type **RD80**Outside colour **RAL 8024**Handle **H90R-1400**Escutcheon **ESC-3**Glazing **Matt SGM**Applique **Inlaid stainless metal**



Design 616

Door type **RD80**Outside colour **RAL 5001**Handle **H90R-1400**Escutcheon **ESC-3**Glazing **Matt SGM**Applique **Inlaid stainless metal**



Design 618

Door type RD100
Outside colour RAL 6013
Handle H90R-1400
Escutcheon ESC-3
Glazing Matt SGM
Applique Inlaid stainless metal

62 RYTERNA ENTRY ENTRANCE DOORS www.ryternaentry.com









Door type RD80 Outside colour RAL 8024 Handle **H90R-1400** Escutcheon ESC-3 Glazing Matt SGM Applique Inlaid stainless metal



Design 628

Door type RD80 Outside colour RAL 8019 Handle **H45S-500** Escutcheon ESC-2 Glazing Matt SGM Applique Inlaid stainless metal



Design 634

Door type RD80 Outside colour RAL 7026 Handle **H90R-1400** Escutcheon ESC-3 Glazing Matt SGM Applique Inlaid stainless metal





Door type **RD80**Outside colour **RAL 7021**Handle **H90R-1400**Escutcheon **ESC-2**Glazing **Matt SGM**Applique **Inlaid stainless metal**



Design 639

Door type RD80
Outside colour RAL 6020
Handle H90R-1400
Escutcheon ESC-3
Glazing Matt SGM
Applique Inlaid stainless metal
Finger scanner FSC3



Design 640

Door type RD80
Outside colour RAL 7001
Handle H90R-1400
Escutcheon ESC-2
Glazing Matt SGM
Applique Inlaid stainless metal
Kick plate Smooth









Door type RD100 Outside colour RAL 6028 Handle **H90R-1400** Escutcheon ESC-3 Glazing Matt SGM Applique Inlaid stainless metal



Design 643

Door type RD100 Outside colour RAL 5013 Handle **H90R-1400** Escutcheon ESC-3 Glazing Matt SGM Applique Inlaid stainless metal Finger scanner FSC3



Design 648

Door type RD80 Outside colour RAL 7048 Handle **H90R-1400** Escutcheon ESC-3 Glazing Etched effect Applique Inlaid stainless metal





Door type **RD100**Outside colour **RAL 7024**Handle **H90R-1800**Escutcheon **ESC-3**Glazing **Etched effect**Applique **Inlaid stainless metal**



Design 655

Door type RD100
Outside colour RAL 6020
Handle H90S-1800
Escutcheon ESC-3
Glazing Matt SGM
Applique Inlaid stainless metal
Finger scanner FSC3



Design 659

Door type **RD100**Outside colour **RAL 7026**Handle **H90R-500**Escutcheon **ESC-3**Glazing **Matt SGM**Applique **Inlaid stainless metal**









Door type RD100 Outside colour RAL 7000 Handle **H90S-1400** Escutcheon ESC-3 Glazing Matt SGM Applique Inlaid stainless metal Decor Carving



Design 706

Door type **RD100** Outside colour RAL 9007 Handle **H45R-500** Escutcheon ESC-3 Glazing Matt SGM Applique Inlaid stainless metal Decor Carving



Design 707

Door type RD80 Outside colour RAL 9016 Handle H45R-500 Escutcheon ESC-3 Glazing Etched effect Applique Inlaid stainless metal Decor Carving





Door type RD100
Outside colour RAL 7043
Handle H45R-500
Escutcheon ESC-3
Glazing Etched effect
Applique Inlaid stainless metal
Decor Carving



Design 703

Door type RD100
Outside colour RAL 7024
Handle H90RB-800
Escutcheon ESC-3
Glazing Etched effect
Applique Inlaid stainless metal
Decor Carving
Finger scanner FSC3



Design 705

Door type RD100
Outside colour RAL 7048
Handle H90RB-800
Escutcheon ESC-3
Glazing Etched effect
Applique Inlaid Gold Oak + stainless metal
Decor Carving









Door type RD80 Outside colour RAL 7016 + RAL 3005 Handle **H90R-1400** Escutcheon ESC-3 Glazing Matt SGM Applique Inlaid brushed stainless metal



Design 802

Door type RD80 Outside colour RAL 7024 + RAL 6020 Handle **H90S-1800** Escutcheon ESC-3 Glazing Matt SGM Applique Inlaid brushed stainless metal



Design 803

Door type RD100 Outside colour RAL 7048 + RAL 3005 Handle **H90R-1400** Escutcheon ESC-3 Glazing Matt SGM Applique Inlaid brushed stainless metal





Door type RD100
Outside colour RAL 7024
Handle H90R-1200
Escutcheon ESC-3
Glazing Etched effect
Decor Carving



Design 905

Door type RD100
Outside colour RAL 6025 + RAL 7010
Handle H45R-800
Escutcheon ESC-3
Glazing Etched effect
Applique Inlaid stainless metal



Design 908

Door type RD100
Outside colour RAL 7043 + RAL 7006
Handle H90R-1800
Escutcheon ESC-3
Glazing Etched effect
Applique Inlaid stainless metal
Finger scanner FSC3
Kick plate Smooth











Door type RD80
Outside colour RAL 7016
Handle H90R-1400
Escutcheon ESC-3
Composite plate Corten



Design 1029

Door type RD100
Outside colour RAL 7016
Handle H90S-500
Escutcheon ESC-3
Composite plate Corten
Glazing Matt SGM
Applique Inlaid brushed stainless metal







Door type RD80
Outside colour RAL 7016
Handle H90R-1400
Escutcheon ESC-3
Composite plate Wood



Design 1043

Door type RD100
Outside colour RAL 7016
Handle H90S40B-800
Escutcheon ESC-3
Composite plate Wood








Door type RD100
Outside colour RAL 7016
Handle H90S40-1400
Escutcheon ESC-3
Ceramic glass Glass



Design 1052

Door type RD100
Outside colour RAL 7016
Handle H90S40-1400
Escutcheon ESC-3
Ceramic glass Glass
Glazing Tinted Grey SGT-G







Design CLS 6WB

Door type RD80
Outside colour RAL 5025
Handle HLS 01
Glazing Matt SGM
Decor Carving



Design CLS 8W


Door type RD100
Outside colour RAL 9022
Handle H45S-500
Escutcheon ESC-3
Glazing Matt SGM
Decor Carving



Design CLS 9W

Door type RD80
Outside colour RAL 7033
Handle H45S-500
Escutcheon ESC-3
Glazing Matt SGM
Decor Carving





WOOD-LIKE DECORS

Design 641
Door type RD80



Golden Oak

Design 507
Door type RD100



Old Oak

Design 126

Door type RD67




Winchester








Standard designs*









* you can modify existing or create your own door design



Standard designs*










* you can modify existing or create your own door design



Exclusive designs*







Classic designs*



* you can modify existing or create your own door design



Door configurator tailored to your needs

The configurator is designed to assist you in selecting doors tailored to your unique requirements. With its user-friendly interface, navigating through various designs, colors, and additional features is effortless, ensuring a seamless experience.







www.ryternaentry.doorconfigurator.com



Options to choose:

- Noor model
- Type
- Systems
- Construction
- Colors
- → Glass
- Fittings
- Accessories
- Security automatics
- Finishing profiles

























It's never been easier to get a unique matching design. Front and garage door, aluminium gate and fence from one manufacturer.

Same design, same accents - hassle-free.





The images in this catalogue showcase different congurations and may include additional non-standard accessories. • RYTERNA ENTRY reserves the right to implement improvements and update designs without prior notice. • The depicted colours in this brochure are illustrative and may vary from actual product colours. • All rights reserved. • Unauthorised reproduction or distribution of this catalogue in whole or in part is available only with consent from RYTERNA ENTRY.

www.ryternaentry.com www.ryternaentry.doorconfigurator.com 2024.09.01 | **EN**